

**2018 - DISPATCHING DES CONSOMMATIONS D'EAU BIOSECURITE 2ème TRIMESTRE**

Semaine	Nombre de canard	total	CONSOMMATION BIOSECURITE							
		consomation	Litre par	Poste 1		Poste 2		désinfection	total conso	Litre par
		SARL en m³	canard	Laveuse caisse laveuse	m³	1 <sup>er</sup> lavage	m³	thermique	biosécurité	canard
14	10623	429	40.38						0	0.00
15	11874	437	36.80		0		0		0	0.00
16	10936	403	36.85		0		0		0	0.00
17	10892	439	40.30	13	13	11	11	24	48	4.41
18	11270	364	32.30	33	20	37	26	18	64	5.68
19	6664	262	39.32	56	23	61	24	12	59	8.85
20	12706	439	34.55	97	41	99	38	24	103	8.11
21	7540	298	39.52	127	30	119	20	18	68	9.02
22	13167	455	34.56	168	41	153	34	24	99	7.52
23	9230	332	35.97	179	11	199	46	18	75	8.13
24	13600	481	35.37	218	39	255	56	24	119	8.75
25	12300	439	35.69	250	32	299	44	24	100	8.13
26	10220	406	39.73	280	30	327	28	18	76	7.44

**2018 - DISPATCHING DES CONSOMMATIONS D'EAU CONSERVERIE 2ème TRIMESTRE**

CONSERVERIE										
Semaine	Nombre de canard	Laveuse cagettes	m <sup>3</sup>	Autoclaves four vapeur	m <sup>3</sup>	tunnel à foie en m3 (Q1-poste 2 lavage)	thermoformeuses	m <sup>3</sup>	total conso conserverie	Litre par canard
14	10623								0	0.00
15	11874		0		0			0	0	0.00
16	10936		0		0			0	0	0.00
17	10892	1	1	2	2		2	4	7	0.64
18	11270	4	3	8	6	64	11	18	91	8.07
19	6664	6	2	12	4	35	19	16	57	8.55
20	12706	11	5	21	9	76	33	28	118	9.29
21	7540	15	4	27	6	52	42	18	80	10.61
22	13167	21	6	40	13	78	56	28	125	9.49
23	9230	25	4	48	8	42	65	18	72	7.80
24	13600	33	8	61	13	68	81	32	121	8.90
25	12300	39	6	78	17	75	97	32	130	10.57
26	10220	44	5	88	10	69	107	20	104	10.18

2018 - DISPATCHING DES CONSOMMATIONS D'EAU 2ème TRIMESTRE

Semaine	total		total conso	Consommation abattoir					
	Nombre de  canard			Litre par  canard	Conso abattoir - conserverie	Litre par  canard	total conso  biosécurité	Conso abattoir - biosécurité	Litre par  canard
14	10623	429	0	0.00	429	40.38	0	429	40.38
15	11874	437	0	0.00	437	36.80	0	437	36.80
16	10936	403	0	0.00	403	36.85	0	403	36.85
17	10892	439	7	0.64	432	39.66	48	384	35.26
18	11270	364	91	8.07	273	24.22	64	209	18.54
19	6664	262	57	8.55	205	30.76	59	146	21.91
20	12706	439	118	9.29	321	25.26	103	218	17.16
21	7540	298	80	10.61	218	28.91	68	150	19.89
22	13167	455	125	9.49	330	25.06	99	231	17.54
23	9230	332	72	7.80	260	28.17	75	185	20.04
24	13600	481	121	8.90	360	26.47	119	241	17.72
25	12300	439	130	10.57	309	25.12	100	209	16.99
26	10220	406	104	10.18	302	29.55	76	226	22.11



**2018 - DISPATCHING DES CONSOMMATIONS D'EAU BIOSECURITE 3ème TRIMESTRE**

Semaine	Nombre de canard	total	CONSOMMATION BIOSECURITE							
		consommation	Litre par	Poste 1						Litre par
		SARL en m³	canard	Laveuse caisse laveuse	m³	Poste 2 1 <sup>er</sup> lavage	m³	désinfection thermique	total conso biosécurité	canard
27	10626	420	39.53	312	32	358	31	18	81	7.62
28	11006	539	48.97	337	25	394	36	18	79	7.18
29	10996	404	36.74	362	25	429	35	18	78	7.09
30	10793	428	39.66	393	31	470	41	18	90	8.34
31	7956	360	45.25	415	22	495	25	18	65	8.17
32	10458	417	39.87	447	32	529	34	18	84	8.03
33	0	-29935	#DIV/0!		-447		-529		-976	#DIV/0!
34	0	0	#DIV/0!		0		0		0	#DIV/0!
35	0	0	#DIV/0!		0		0		0	#DIV/0!
36	0	0	#DIV/0!		0		0		0	#DIV/0!
37	0	0	#DIV/0!		0		0		0	#DIV/0!
38	0	0	#DIV/0!		0		0		0	#DIV/0!
39	0	0	#DIV/0!		0		0		0	#DIV/0!

**2018 - DISPATCHING DES CONSOMMATIONS D'EAU CONSERVERIE 3ème TRIMESTRE**

CONSERVERIE										
Semaine	Nombre de canard	Laveuse cagettes	m <sup>3</sup>	Autoclaves four vapeur	m <sup>3</sup>	tunnel à foie en m <sup>3</sup> (Q1 poste 2 lavage)	thermoformeuses	m <sup>3</sup>	total conso conserverie	Litre par canard
27	10626	50	6	99	11	69	123	32	118	11.10
28	11006	57	7	116	17	128	138	30	182	16.54
29	10996	62	5	139	23	90	157	38	156	14.19
30	10793	66	4	154	15	92	169	24	135	12.51
31	7956	69	3	184	30	61	184	30	124	15.59
32	10458	73	4	198	14	73	201	34	125	11.95
33	0		-73		-198	-29406		-402	-30079	#DIV/0!
34	0		0		0	0		0	0	#DIV/0!
35	0		0		0	0		0	0	#DIV/0!
36	0		0		0	0		0	0	#DIV/0!
37	0		0		0	0		0	0	#DIV/0!
38	0		0		0	0		0	0	#DIV/0!
39	0		0		0	0		0	0	#DIV/0!

2018 - DISPATCHING DES CONSOMMATIONS D'EAU 3ème TRIMESTRE

Semaine	total	Consommation abattoir							
	Nombre de canard		total conso conserverie	Litre par canard	Conso abattoir - conserverie	Litre par canard	total conso biosécurité	Conso abattoir - biosécurité	Litre par canard
27	10626	420	118	11.10	302	28.42	81	221	20.80
28	11006	539	182	16.54	357	32.44	79	278	25.26
29	10996	404	156	14.19	248	22.55	78	170	15.46
30	10793	428	135	12.51	293	27.15	90	203	18.81
31	7956	360	124	15.59	236	29.66	65	171	21.49
32	10458	417	125	11.95	292	27.92	84	208	19.89
33	0	-29935	-30079	#DIV/0!	144	#DIV/0!	-976	1120	#DIV/0!
34	0	0	0	#DIV/0!	0	#DIV/0!	0	0	#DIV/0!
35	0	0	0	#DIV/0!	0	#DIV/0!	0	0	#DIV/0!
36	0	0	0	#DIV/0!	0	#DIV/0!	0	0	#DIV/0!
37	0	0	0	#DIV/0!	0	#DIV/0!	0	0	#DIV/0!
38	0	0	0	#DIV/0!	0	#DIV/0!	0	0	#DIV/0!
39	0	0	0	#DIV/0!	0	#DIV/0!	0	0	#DIV/0!